



# 控制電纜

## Control Cable

### 產品說明 Product manual

品名	導體材質	導體組成	芯線OD	外被材質	完成外徑	產品編號
Product name	material	composition	MM	Material	MM	Product
0.3mm <sup>2</sup> -2C	裸銅	0.18*12C	1.5	PVC	4.2	
0.3mm <sup>2</sup> -3C	裸銅	0.18*12C	1.5	PVC	4.4	
0.3mm <sup>2</sup> -4C	裸銅	0.18*12C	1.5	PVC	4.8	
0.3mm <sup>2</sup> -5C	裸銅	0.18*12C	1.5	PVC	5.2	
0.3mm <sup>2</sup> -6C	裸銅	0.18*12C	1.5	PVC	6.0	
0.3mm <sup>2</sup> -7C	裸銅	0.18*12C	1.5	PVC	6.0	
0.3mm <sup>2</sup> -8C	裸銅	0.18*12C	1.5	PVC	6.3	
0.3mm <sup>2</sup> -10C	裸銅	0.18*12C	1.5	PVC	6.8	

品名	導體材質	導體組成	芯線OD	外被材質	完成外徑	產品編號
Product name	material	composition	MM	Material	MM	Product
0.5mm <sup>2</sup> -2C	裸銅	0.18*20C	1.8	PVC	5.5	
0.5mm <sup>2</sup> -3C	裸銅	0.18*20C	1.8	PVC	6.0	
0.5mm <sup>2</sup> -4C	裸銅	0.18*20C	1.8	PVC	6.5	
0.5mm <sup>2</sup> -5C	裸銅	0.18*20C	1.8	PVC	7.0	
0.5mm <sup>2</sup> -6C	裸銅	0.18*20C	1.8	PVC	7.5	
0.5mm <sup>2</sup> -7C	裸銅	0.18*20C	1.8	PVC	7.5	
0.5mm <sup>2</sup> -8C	裸銅	0.18*20C	1.8	PVC	8.2	
0.5mm <sup>2</sup> -10C	裸銅	0.18*20C	1.8	PVC	9.5	

品名	導體材質	導體組成	芯線OD	外被材質	完成外徑	產品編號
Product name	material	composition	MM	Material	MM	Product
0.75mm <sup>2</sup> -2C	裸銅	0.18*30C	2.3	PVC	6.6	
0.75mm <sup>2</sup> -3C	裸銅	0.18*30C	2.3	PVC	7.0	
0.75mm <sup>2</sup> -4C	裸銅	0.18*30C	2.3	PVC	8.0	
0.75mm <sup>2</sup> -5C	裸銅	0.18*30C	2.3	PVC	8.8	
0.75mm <sup>2</sup> -6C	裸銅	0.18*30C	2.3	PVC	10.0	
0.75mm <sup>2</sup> -7C	裸銅	0.18*30C	2.3	PVC	10.0	
0.75mm <sup>2</sup> -8C	裸銅	0.18*30C	2.3	PVC	10.8	
0.75mm <sup>2</sup> -10C	裸銅	0.18*30C	2.3	PVC	12.1	

品名	導體材質	導體組成	芯線OD	外被材質	完成外徑	產品編號
Product name	material	composition	MM	Material	MM	Product
1.25mm <sup>2</sup> -2C	裸銅	0.18*50C	2.7	PVC	7.0	
1.25mm <sup>2</sup> -3C	裸銅	0.18*50C	2.7	PVC	7.6	
1.25mm <sup>2</sup> -4C	裸銅	0.18*50C	2.7	PVC	8.3	
1.25mm <sup>2</sup> -5C	裸銅	0.18*50C	2.7	PVC	9.6	
1.25mm <sup>2</sup> -6C	裸銅	0.18*50C	2.7	PVC	10.5	
1.25mm <sup>2</sup> -7C	裸銅	0.18*50C	2.7	PVC	10.5	
1.25mm <sup>2</sup> -8C	裸銅	0.18*50C	2.7	PVC	11.3	
1.25mm <sup>2</sup> -10C	裸銅	0.18*50C	2.7	PVC	13.0	

品名	導體材質	導體組成	芯線OD	外被材質	完成外徑	產品編號
Product name	material	composition	MM	Material	MM	Product
2.0mm <sup>2</sup> -2C	裸銅	0.26*37C	3.0	PVC	8.4	
2.0mm <sup>2</sup> -3C	裸銅	0.26*37C	3.0	PVC	9.1	
2.0mm <sup>2</sup> -4C	裸銅	0.26*37C	3.0	PVC	10.0	
2.0mm <sup>2</sup> -5C	裸銅	0.26*37C	3.0	PVC	11.1	
2.0mm <sup>2</sup> -6C	裸銅	0.26*37C	3.0	PVC	12.1	
2.0mm <sup>2</sup> -7C	裸銅	0.26*37C	3.0	PVC	12.1	
2.0mm <sup>2</sup> -8C	裸銅	0.26*37C	3.0	PVC	13.0	
2.0mm <sup>2</sup> -10C	裸銅	0.26*37C	3.0	PVC	15.0	

品名	導體材質	導體組成	芯線OD	外被材質	完成外徑	產品編號
Product name	material	composition	MM	Material	MM	Product
3.5mm <sup>2</sup> -2C	裸銅	0.26*65C	4.0	PVC	11.0	
3.5mm <sup>2</sup> -3C	裸銅	0.26*65C	4.0	PVC	11.5	
3.5mm <sup>2</sup> -4C	裸銅	0.26*65C	4.0	PVC	12.6	
3.5mm <sup>2</sup> -5C	裸銅	0.26*65C	4.0	PVC	14.0	
3.5mm <sup>2</sup> -6C	裸銅	0.26*65C	4.0	PVC	15.0	
3.5mm <sup>2</sup> -7C	裸銅	0.26*65C	4.0	PVC	15.0	
3.5mm <sup>2</sup> -8C	裸銅	0.26*65C	4.0	PVC	16.5	
3.5mm <sup>2</sup> -10C	裸銅	0.26*65C	4.0	PVC	18.0	